


GROUND LIGHTS NEW

Mill Stream
Suffolk



GL038A STRAIGHT TO MAINS LED GROUND LIGHT



GENERAL INFORMATION

CONSTRUCTION	Stainless steel 316		
LED COLOURS	WH	NW	WW
	BL	WH: Available while stocks last	

ADDITIONAL INFORMATION

Straight to mains

Installation tube included

3m H05RN-F rubber cable attached

WARRANTY

1 year (7 year extended warranty available)

5



GROUND LIGHTS



GL007A F / GL007A S
DRIVE OVER LED GROUND LIGHT



GL007 FROSTED
DRIVE OVER GROUND/MARKER LIGHT

		F	S
IP67	10W	15 mm	15 mm
2000kg	37°C	38°	18°
		1400lx 1m	4700lx 1m



IP67	10W	15 mm
2000kg	35°C	

The Long House
Suffolk

GENERAL INFORMATION

CONSTRUCTION	Stainless steel (cover ring only)		
LED COLOURS	WH	NW	WW
	BL		

GL007 FROSTED: WH, NW & WW only
GL007A S: WH (while stocks last), NW & WW only

ADDITIONAL INFORMATION

Straight to mains

3m H05RN-F rubber cable attached

GL007A F / S LED adjustable $\pm 20^\circ$

Installation tube included

WARRANTY

1 year


Ø185/180mm



225/245mm











GROUND LIGHTS



GL040 F / GL040 S
3W LED GROUND LIGHT

GL041 F / GL041 S
3W SQUARE LED GROUND LIGHT

			F	S		
IP68	0	3W 350mA	1024lx 1m	5010lx 1m	 	
	65mm					
JB2	±35°C					

			F	S		
IP68	0	3W 350mA	1024lx 1m	5010lx 1m	 	
	65mm					
JB2	±35°C					

The Long House
Suffolk

GENERAL INFORMATION

CONSTRUCTION	Stainless steel 316		
LED COLOURS	WH	NW	WW
	BL		

WH available while stocks last
GL041: WH (while stocks last), NW (Nov 2013) & WW

ADDITIONAL INFORMATION

IP68 (9m water)

3m H05RN-F rubber cable attached

Installation tube available 72


SERIES WIRING: USE WITH LED DRIVERS

PLU/350 range, PLR/350 1-5, PLS/350 2-3, 202
PLD-UNIDRIVE & PL/IP/350 range (zone 1)

For 'Zone 0' use PLR/350 1-5 208

WARRANTY


1 year (7 year extended warranty available) 5



GROUND LIGHTS POPULAR



GL019 F / GL019 S
GL019 F KIT / GL019 S KIT
1W MINI LED GROUND LIGHT



GL019 SQ F / GL019 SQ S
1W SQUARE MINI LED GROUND LIGHT

F			S		
IP68	0	1W 350mA	426lx 1m	2320lx 1m	
	±35°C				

GL019 KIT INCLUDES

x5 GL019, LED DRIVER, x20 UY2
connectors & 100m PTFE cable



F			S		
IP68	0	1W 350mA	426lx 1m	2320lx 1m	
	±35°C				



The Long House
Suffolk

GENERAL INFORMATION

CONSTRUCTION	Stainless steel 316		
LED COLOURS	WH	NW	WW
	BL	RE	AM
	GR		

WH available while stocks last
SQ F: WH (while stocks last), NW, WW & BL
SQ S: WH (while stocks last), NW & BL only

ADDITIONAL INFORMATION


IP68 (9m water)	
1m 0.205mm ² red & black PTFE cable attached	
Installation tube available	72

SERIES WIRING: USE WITH LED DRIVERS

PLU/350 range, PLR/350 1-5, PLS/350 2-3, PLD-UNIDRIVE & PL/IP/350 range (zone 1)	202
For 'Zone 0' use PLR/350 1-5	208

WARRANTY

1 year (7 year extended warranty available)	5
---	---



WALL LIGHTS

Brightwell Hall Farm
Suffolk



GL034A
STRAIGHT TO MAINS HOODED WALL / GROUND LIGHT

GENERAL INFORMATION

CONSTRUCTION	Stainless steel 316		
LED COLOURS	WH	NW	WW

WH available while stocks last

ADDITIONAL INFORMATION

Straight to mains



Installation tube included

3m H05RN-F rubber cable attached

WARRANTY

1 year (7 year extended warranty available)


5





WALL LIGHTS NEW

Mill Stream
Suffolk



WL370A
COPPER UP/DOWN LED WALL LIGHT

GENERAL INFORMATION

CONSTRUCTION	Copper	
LED COLOURS	WH	WW

ADDITIONAL INFORMATION


Straight to mains

WARRANTY

1 year (7 year extended warranty available) 5

F

IP65	8W		
39°C			519lx 1m





STRIP LIGHTS WATERPROOF



LEDSTRIP IP FLEXIBLE WATERPROOF LED STRIP



GENERAL INFORMATION

CONSTRUCTION	Plastic		
LED COLOURS	WH	WW	BL
	AM		

ADDITIONAL INFORMATION

2.9W per metre

Cut point every 167mm

NB: Product cut to specific requirements and is non-returnable

Product pictured in PROFILE 6X12 SIL (not included)

WARRANTY

1 year

LED DRIVER

MAX LENGTH PER LED DRIVER

PDC/10/24	1-3m
PDC/20/24	1-6m
PDC/100/24	1-34m
PDC/200/24	1-69m



STRIP LIGHTS

WATERPROOF STRIP CONNECTORS




CONNECTOR 6X12

CONNECTOR 6X12 5M

450mm/5m IP RATED CONNECTOR SET FOR LEDSTRIP IP

Set includes: 450mm/5m
Male/Female connectors (+ fittings)
LEDSTRIP IP end cap



CON EXT M/F 6X12

CON MALE 6X12

CON FEMALE 6X12

EXTENSION LEAD FOR LEDSTRIP IP

1.85m Male/Female extension lead for LEDSTRIP IP

Male and Female connectors for connecting to
CONNECTOR L, T & X 6X12



CONNECTOR L 6X12
CONNECTOR T 6X12
CONNECTOR X 6X12
CONNECTORS FOR LEDSTRIP IP

CONNECTOR L 6X12: L shape for sharp corners

CONNECTOR T 6X12: T junction connector

CONNECTOR X 6X12: Cross connector

Eliminates the need for ugly wiring when going around sharp corners

Gives extra strength to your installation

Requires CON MALE & FEMALE 6X12 for every L,T & X

